

L Number	Hits	Search Text	DB	Time stamp
1	6143	((118/728-730,500).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 10:45
2	2	("20020182823").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 10:50
3	1	((118/728-730,500).CCLS.) and VCSEL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 11:11
4	0	("20020182823").PN.) and VCSEL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 11:11
5	0	("20020182823").PN.) and (vertical adj cavity adj surface adj emitting adj laser)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/10 11:13
6	1	((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity) and oxidation and @pd>=20030610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:38
7	617	((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:31
8	104	((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:31
9	167	"Precision 5000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:31
10	27	((118/728-730,500).CCLS.) and (rotat\$3 and (resistive adj heater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:32

11	43	((rotat\$3 and (resistive adj heater)) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon)) and (thermal\$2 adj conductivity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:33
12	28	((((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity) and oxidation and @pd>=20030610) (((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) (((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity)) "Precision 5000" (((118/728-730,500).CCLS.) and (rotat\$3 and (resistive adj heater))) ((rotat\$3 and (resistive adj heater)) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon)) and (thermal\$2 adj conductivity))) and @pd>=20030610	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:41
-	6001	((118/728-730, "500").CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 10:44
-	600	((118/728-730, "500").CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:30
-	98	(((118/728-730, "500").CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:31
-	11	(((118/728-730, "500").CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity) and oxidation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:21
-	160	"Precision 5000"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:31
-	886	rotat\$3 and (resistive adj heater)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 17:54
-	25	((118/728-730, "500").CCLS.) and (rotat\$3 and (resistive adj heater))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:32

-	40	((rotat\$3 and (resistive adj heater)) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon)) and (thermal\$2 adj conductivity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/11/10 12:33
-	252	lund-j\$.xp. or Lund-J\$3.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 18:19
-	249	lund-j\$.xp.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 18:19
-	219	lund-j\$.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 18:20
-	168	((lund-j\$.xp. or lund-j\$.xa.) and rotat\$3 and heat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 18:22
-	2	("6500266").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 19:02
-	1	((("6500266").PN.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon)) and (thermal\$2 adj conductivity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/09 19:03
-	98	((((118/728-730,500).CCLS.) and ((holder susceptor stage support) with (graphite copper (silicon adj carbide) silicon))) and (thermal\$2 adj conductivity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2003/06/10 17:35